

FEMA FLOOD ZONE

FROM MAP: PAMEL IND, 000058 22325

MAP UPANTE: 07 10, 2000

MAP UPANTE: 07 10, 2000

MAP UPANTE: 07 10, 2000

MICH UPANTE: 07 10, 2 ALL CORSTRUCTIVE SHALL CONFORM WITH THE SOLE REPORT PREPARED BY AMERICAN SOLES REPORT PROBERT OF PROJECT 1084-6200

FOR CONSTRUCTION 3-10-06

DISCLAIMEN NOTE

JUILTY LUCATORIS SHOW


ON THE SALE OF THE SALE

ON THE SAL bold selling subsyrued only lead. If a selling before you are seen. DIG 1-800-782-5348 before you Overhead 1-926-753-5591

BEJCHMARK # "SO 34" M.C.S.D.
ELEVATION= 2590.24273 IFT (NAVD '88) MORPH GOT288* EAST — HE WEST UNE OF THE MORTHWEST GLANERS (1987 (-)4) OF SECTION QU. TOWNSHEE SO MORTH, AWARD (-18 WEST) OF ASSESSED OF HEAD AND SECTION AS DETERMINED BY THE AREZUNA COMMUNITY, AREZUNA, AS DETERMINED BY THE AREZUNA COMMUNITY, SECTION (FILE AREZUNA COMMUNITY, SECTION (FILE AREZUNA COMMUNITY, OF AREZUNA COMMUNITY, DESCRIPTION: ALUM CAP 2" DIA., SET IN DOXIC, 85 FT. HORTHEAST DF THE SOUTH 1/4 CORNER OF SCC, 35, T. 21 N., R.10 W. AND THE INTERSECTION OF SHIMMUMF DR. AND HOPE FD., STANFED "SD 34 1988 RLS 10343." STORE 1/4 COR 3/2 - LATITUDE 35'08'55.53.98"N, (IAND '8.3) HEIGHT 2498.29459Ift (IAND '88) M.C.S.D. 50 32 = LATITUDE 35'09'22'70034"N, LONGITUDE 114'09'21:57240"W (NAD '83) HEISHT 2562.46381Ift (NAVO'88)

BASIS OF BEARINGS

SANITARY SEMER MANHOLESANITARY SEMER MANHOLE = RATE & DIRECTION OF SLOPE = PROPERTY LINE - RIGHT OF WAY = GRADE BREWA = LOT NUMBER - EXISTING CONTOUR = 4" PVC SEWER LATERAL SENER BACK WATER VALVE CENTER UNE



SHEET

OSS5


72 OF 79 SHEETS


SCI PROJECT#

18478 RHODES HOMES ARIZONA, LLC GOLDEN VALLEY RANCH AREA 1 - PHASE A H STREET - OFFSITE UTILITIES



	-	COPPA THE		PE I I SPENS		$\overline{}$
3-10-06	PREV. MEX	DESCRIPTION	DRAWN BY	APPROXIST.	DATE	(1.50)
CKED BY SH/DB						
WN BY CD/RM	_					HAGEL
LE (V) 1" = 4"						1000
LE (H) 1" = 40'						Region





SEMMER COMMERCION NOTES

I MALE SAMBBORER MANGLE PER

I METALL PER POSERTA

FEMA FLOOD ZONE

FROM MAP: PAMEL IND, 000058 22325

MAP UPANTE: 07 10, 2000

MAP UPANTE: 07 10, 2000

MAP UPANTE: 07 10, 2000

MICH UPANTE: 07 10, 2 ALL CORSTRUCTIVE SHALL CONFORM WITH THE SOLE REPORT PREPARED BY AMERICAN SOLES REPORT PROBERT OF PROJECT 1084-6200

PRELIMINARY ISSUE FOR REVIEW
NOT FOR CONSTRUCTION 3-10-06

DISCLAIMEN NOTE

JUILTY LUCATORIS SHOW


ON THE SALE OF THE SALE

ON THE SAL bold selling subsyrued only lead. If a selling before you are seen. DIG 1-800-782-5348 before you Overhead 1-926-753-5591

BEJCHMARK # "SO 34" M.C.S.D.
ELEVATION= 2590.24273 IFT (NAVD '88) M.C.S.D. 50 32 =

BASIS OF BEARINGS

MORPH GOT288* EAST — HE WEST UNE OF THE MORTHWEST GLANERS (1987 (-)4) OF SECTION QU. TOWNSHEE SO MORTH, AWARD (-18 WEST) OF ASSESSED OF HEAD AND SECTION AS DETERMINED BY THE AREZUNA COMMUNITY, AREZUNA, AS DETERMINED BY THE AREZUNA COMMUNITY, SECTION (FILE AREZUNA COMMUNITY, SECTION (FILE AREZUNA COMMUNITY, OF AREZUNA COMMUNITY, DESCRIPTION: ALUM CAP 2" DIA., SET IN DOXIC, 85 FT. HORTHEAST DF THE SOUTH 1/4 CORNER OF SCC, 35, T. 21 N., R.10 W. AND THE INTERSECTION OF SHIMMUMF DR. AND HOPE FD., STANFED "SD 34 1988 RLS 10343." STORE 1/4 COR 3/2 — LATITUDE 35'06'55.53385'N,
LOMBITUDE 114'10'30'72'281''W (NAO '83)
HEIGHT 2488.204'58I'T (NAVO'88) LATITUDE 35'09'22'70034"N, LONGITUDE 114'09'21:57240"W (NAD '83) HEISHT 2562.46381Ift (NAVO'88)



SHEET

OSS6

73 OF 79 SHEETS

SCI PROJECT#

18478 RHODES HOMES ARIZONA, LLC GOLDEN VALLEY RANCH AREA 1 - PHASE A H STREET - OFFSITE UTILITIES



 SEWER BACK WATER VALVE = 4" PVC SEWER LATERAL


SANITARY SEMER MANHOLESANITARY SEMER MANHOLE

= LOT NUMBER - EXISTING CONTOUR

CENTER UNE

= FUTURE GRADE
= RATE & DIRECTION OF SLOPE
= PROPERTY LINE
- RIGHT OF WAY
= GRADE BREAK

	-	COPPA THE		PE I I SPENS		$\overline{}$
3-10-06	PREV. MEX	DESCRIPTION	DRAWN BY	APPROXIST.	DATE	(1.50)
CKED BY SH/DB						
WN BY CD/RM	_					HAGEL
LE (V) 1" = 4"						1000
LE (H) 1" = 40'						Region



Case 09-14814-qwz Doc 1232-21 Entered 08/13/10 14:10:34 Page 6 of 10 SEE EASEMENT DETAIL-V SHEET DTZ END AREA 1 PHASE A OFF-SITE UTILITIES FOR COMMUNATION SEE SHEET 08812 15+00 2493.8 2488.85 POINT ELEV = 2488.77
POINT STA = 15+29.25
3N STA = 15+24.72
3N ELEV = 2488.35
SDC -4-D: -2.5594
K = 51.8124
132.8' VC STUB AND CAP STA 15+30 31 0.37 L INV -248).84 (2493.1) 2458.81 THE OF EVCS: 15+90.99 (2492.8) 2489.24 336 (2492.1) 2489.84 PVI STA - 16+88.71 PVI ELEV - 2490.06 B"PuC SS (2491.3) 2490.22 u A SJUB AND CAP 5.00 LF 9 1.00% B PVC SS (2491.4) 10 STREET (PRIVATE)
SCALE: HORIZONTAL 1" = 40"
VERTICAL 1" = 4" 0.54% (2491.9) 2490.72 w. (2491.9) 2480.87 343 331 938 (2492.2) 2491.22 EXISTING OROUN u, u-(2492.5) 2491.47 (2492.0) 2491.72 ENSTING GROUND

OBTITERUNE— (2491.6) 2491.97 PROPOSED FINISH 6880 LEEL OR CALLY AND HOME SHEEL OR ON LINE OF THE LEE OF THE CONTROL OF THE CON ~ (FS = 11+12.28 (2492.3) PVI STA = 20+99,5 (2492.6) 2482.75 SEWER CONSTRUCTION NOTES

INSTAL 4" NAMED MANAGER

INSTAL 4" NAMED MANAGER

INSTAL 4" NAMED MANAGER

INSTAL 4" NAMED MANAGER

INSTAL 5" NAMED MANA N (2492.7) 2 2493.27 (IN FEET)
1 tanh = 40 ft. GRAPHIC SCALE FEMA FLOOD ZONE

FROM MAP: PAMEL IND, 000058 22325

MAP UPANTE: 07 10, 2000

MAP UPANTE: 07 10, 2000

MAP UPANTE: 07 10, 2000

MICH UPANTE: 07 10, 2 ALL CORSTRUCTIVE SHALL CONFORM WITH THE SOLE REPORT PREPARED BY AMERICAN SOLES REPORT PROBERT OF PROJECT 1084-6200 BEJCHMARK # "SO 34" M.C.S.D.
ELEVATION= 2590.24273 IFT (NAVD '88) MORPH GOT288* EAST — HE WEST UNE OF THE MORTHWEST GLANERS (1987 (-)4) OF SECTION QU. TOWNSHEE SO MORTH, AWARD (-18 WEST) OF ASSESSED OF HEAD AND SECTION AS DETERMINED BY THE AREZUNA COMMUNITY, AREZUNA, AS DETERMINED BY THE AREZUNA COMMUNITY, SECTION (FILE AREZUNA COMMUNITY, SECTION (FILE AREZUNA COMMUNITY, OF AREZUNA COMMUNITY, DESCRIPTION: ALLIN CAP 2" DIA., SET IN CONC. 85 FT, HOSTHEAST OF THE SOUTH 1/4 CORNER OF SEC. 35, T. 21 N., R.18 N. AND THE INTERSECTION OF SHIMMUMF OR. AND HOPE RD., STAMFED "SO 34 1888 RLS 10343." STONE 1/4 COR 3/2 -M.C.S.D. 'SD 32' = DISCLAMEN NOTE

JULY LUGATORIS SHOW

ON THE SAA ON THE SAA ON THE

ONTING THE SAA ON THE

THE STREAM ON THE

ONTING THE SAA ON THE

ON THE

ON THE SAA ON THE

O FOR CONSTRUCTION LATITUDE 35°09°22.7003°14, LONGITUDE 114°09'21.57240"W (NAD '83) HEIGHT 2562.463911ft (NAVD'86) SANITARY SEMER MANHOLESANITARY SEMER MANHOLE = RATE & DIRECTION OF SLOPE = PROPERTY LINE - RIGHT OF WAY = GRADE BREWA = LOT NUMBER - EXISTING CONTOUR = 4" PVC SEWER LATERAL SENER BACK WATER VALVE CENTER UNE bold selling subsyrued only lead. If a selling before you are seen. DIG 1-800-782-5348 R REVIEW N 3-10-06 before you Overhead 1-926-753-5591 SHEET OSS8

75 OF 79 SHEETS
SCI PROJECT# RHODES HOMES ARIZONA, LLC GOLDEN VALLEY RANCH SCALE (H) 1" = 40' 5820 S. Ezetarn Avenue, Suita 200 Les Vegas, Neveda 89119 (702) 369-9838 Fer (702) 369-9793 SCALE (V) 1" = 4" 42874 STEVEN A HAGEL DRAWN BY CD/RM AREA 1 - PHASE A 10 STREET - OFFSITE UTILITIES Stanley Consultants INC. CHECKED BY SH/DB DATE 3-10-06

Case 09-14814-gwz Doc 1232-21 Entered 08/13/10 14:10:34 Page 7 of 10 2492.3 2492.22 GRADE (2492.6) 2492.75 (2482.7) 2493.27 SEE SHEET OSS (2493.0) 2493.80 PVI STA = 22+50 PVI ELEV = 2493.80 B'PVC SS (2483.8) 2494.18 (2494.7) 2494.53 [w (2495.2) 2494.89 112 23 LF B-P-VC SS 41 01% 10 STREET (PRIVATE)
SCALE: HORIZONTAL 1" = 40'
VERTICAL 1" = 4' (2495.8) 2495.25 CENTERUNE— PVI STA = 24+85.33 PVI ELEV = 2495.51 --PVI STA = 25+00.63 PVI ELEV = 2495.82 (2496.3) ~ 2495.80 ~ 48" \$\$MH £ 17 \$TA 28+06.82 0.09 RM -2495.8 ± INV IN =2488.83 INV DUT =2488.63 80E 654 PROPOSED FINIS PVI STA = 25+17.B3 PVI ELEV = 2495.48 (2496.8) 2495.84 STUB AND CAP 4 5.00 LF 4 0.95% GRADE (2497.3) 2496.40 (2497.8) 2496.65 2498.4) 2498.90 (2499.3) 2497.15 3 STREET FOR CONTINUATION SE (2500.0) 2497.40 48" SSMH # 16 STA 28+17.63 RIM =2497.5 ± INV IN =2490.50 INV IN =2490.50 INV OUT =2490.3 SEWER CONSTRUCTION NOTES

INSTAL 4" NAMED MANAGER

INSTAL 4" NAMED MANAGER

INSTAL 4" NAMED MANAGER

INSTAL 4" NAMED MANAGER

INSTAL 5" NAMED MANA 914,29117.43 (2500.3) 2497.65 ₹₹**₹₽**₩₩. Ø STATION 28+50.00 FOR CONTINUATION SEE SHEET 08810 (IN FEET)
1 lnch = 40 ft. GRAPHIC SCALE FEMA FLOOD ZONE

FROM MAP: PAMEL IND, 000058 22325

MAP UPANTE: 07 10, 2000

MAP UPANTE: 07 10, 2000

MAP UPANTE: 07 10, 2000

MICH UPANTE: 07 10, 2 QEOTECHNICAL NOTE
ALL CORSTRUCTION SHALL CONFORM WITH THE
SOUL REPORT PREPARED BY AMERICAN SOILS
ENGINEERING, LLC.
DATED. 12 SEPTIMEER 05
PROJECT No.: 1084–620 BEJCHMARK # "SO 34" M.C.S.D. ELEVATION= 2590.24273 IFT (MAYD "88) MORPH GOT288* EAST — HE WEST UNE OF THE MORTHWEST GLANERS (1987 (-)4) OF SECTION QU. TOWNSHEE SO MORTH, AWARD (-18 WEST) OF ASSESSED OF HEAD AND SECTION AS DETERMINED BY THE AREZUNA COMMUNITY, AREZUNA, AS DETERMINED BY THE AREZUNA COMMUNITY, SECTION (FILE AREZUNA COMMUNITY, SECTION (FILE AREZUNA COMMUNITY, OF AREZUNA COMMUNITY, DESCRIPTION: ALUM CAP 2" DIA., SET IN CONC. 85 FT. HORTHEAST OF THE SOUTH 1/4 CORNER OF SEC. 35, T. 21 N., R.18 W, AND THE INTERSECTION OF SHIMMUMP DR. AND HOPE RD., STAMPED "SD 34 1988 RLS 10343." STONE 1/4 COR 3/2 -DISCLAIMEN NOTE

DISTRICT LEARNINGS SHOWN

DIVENT LEARNINGS SHOWN

DIVENT TISSAL BY THE

DIVENT TISSAL BY THE

DIVENT TISSAL BY THE

DIVENT SHALE BY THE

DIVENT SHALE BY THE

DIVENT SHALE BY THE

TO DETERMINE THE SHALE

TO DETERMINE THE SHALE

TO DETERMINE THE SHALE

DIVENT SHALE BY THE

BY TALL DESTRICT UTILITIES

THE SHALE ASSURED TO

DIVENT ALL DESTRICT UTILITIES

ARE SHOWN LERGEN, THE

BRIGHTHE ASSURED TO

DIVENT SHALE BY THE

DIVENT SHALE BY THE

DIVENT SHALE BY THE

DIVENT SHALE

D LIMINARY ISSUE FOR REVIEW FOR CONSTRUCTION 3-10-06 LATITUDE 35°09°22.7003°14, LONGITUDE 114°09'21.57240"W (NAD '83) HEIGHT 2562.463911ft (NAVD'86) * = SUBDIVISION/JUNIT BOUNDRY
- SANITARY SEWER MANHOLE
= SANITARY SEWER MAIN - EXISTING CONTOUR # 4" PVC SEWER LATERAL RIGHT OF WAY SEWER BACK WATER VALVE LOT NUMBER CENTER UNE RATE & DIRECTION OF SLOPE PROPERTY LINE before you before you Overhead 1-926-753-5591 RHODES HOMES ARIZONA, LLC GOLDEN VALLEY RANCH SCALE (H) 1" = 40" SHEET
OSS9
6 OF 79 SHEETS
SCI PROJECT#
18478 SCALE (V) 1" = 4" 42874 STEVEN A HAGEL DRAWN BY CD/RM AREA 1 - PHASE A 10 STREET - OFFSITE UTILITIES Stanley Consultants INC. CHECKED BY SH/DB

Case 09-14814-qwz Doc 1232-21 Entered 08/13/10 14:10:34 Page 8 of 10 FOR CONTI STATION 28+50.00 FOR CONTINUATION 9EE 9HEET 0998 2499.3 2497.15 3 SIREET ATON BEE BHEET OBBA (2500.0) 2497.40 16" SSMH 4 16 TO TO SIRET TO S 48" SSMH # 18 STA 28+17.63 RIM =2497.5 # INV IN =2490.50 INV IN =2490.50 INV OUT =2490.50 (2500.3) 2497.65 (2500.7) 2497.90 (2501.1) 2498.15 PVI STA = 29+57.4 PVI ELEV = 2498.19 S 344.8 4 STREE (2501.7) Ú (2502.0) 2499.38 ■ CENIEKTINE— FOREING BEGING PVI STA = 30+82.73 IO STREET (PRIVATE)
SCALE: HORIZONTAL 1 = 40'
VERTICAL 1 = 4' 48" SSMH 4 15 11 TO STREET STA 3D-82-73 RIM =2498.8 ± INV NI = 2492.82 INV NI = 2492.82 INV OUT = 2492.62 BHEET OBBS 48" SSMH # 15 STA 30+82.73 RIM =2499.8 ± INV IN =2492.82 INV IN =2492.82 INV GUT =2492.8 (2502.5) 1 2500.10 -PROPOSED FINISH (2503.0) BVCS: 31+74,77 BVCE: 2501.35 (2503.5) 2501.81 PM STA = 32+24.77 PM.ELEK.=...2A0218... A.O. = 1.4409 K = 69.4033 100.0' VC (2503.9) EVCS: 32+74.77 EVDE: 2503.73 (2504.3) 2504.52 5 STREET
FOR CONTINUATION SEE SHEET 0882 (2505.3) 2506.07 BVCS: 33+45.56 S STAFF (2506.3) 2506.90 82 SA4.8 (2507.2) 2506.50 EVCS: 34+93:83 EVCE: 2506.43 PVI STA - 34+66.13 PVI ELEV = 2506.15 SEMMER COMMERCION NOTES

I MALE SAMBBORER MANGLE PER

I METALL PER POSERTA 48" SSMH # 62 STA 34+82.96 12 RIM =2506.5 ± INV IN -2497.57 INV OUT -2497.3 (IN FEIST)
1 theh = 40 ft. GRAPHIC SCALE FEMA FLOOD ZONE
FRA MAP, PAME, IND. 00008 23289
MAP UPANTE. 07 10 2000
MAP UPANTE. 07 10 20 QEOTECHNICAL NOTE
ALL CORSTRUCTION SHALL CONFORM WITH THE
SOUL REPORT PREPARED BY AMERICAN SOILS
ENGINEERING, LLC.
DATED. 12 SEPTIMEER 05
PROJECT No.: 1084–620 BEJCHMARK # "SO 34" M.C.S.D.
ELEVATION= 2590.24273 IFT (NAVD '88) MORPH GOT288* EAST — HE WEST UNE OF THE MORTHWEST GLANERS (1987 (-)4) OF SECTION QU. TOWNSHEE SO MORTH, AWARD (-18 WEST) OF ASSESSED OF HEAD AND SECTION AS DETERMINED BY THE AREZUNA COMMUNITY, AREZUNA, AS DETERMINED BY THE AREZUNA COMMUNITY, SECTION (FILE AREZUNA COMMUNITY, SECTION (FILE AREZUNA COMMUNITY, OF AREZUNA COMMUNITY, descriptical: Alum Cap 2" D.A., set in conc. 85 ft. hortheast of the south 1/4 corner of Sec. 35, it. 21 il., 81.8 il., and the intersection of shimfulfic dr. and hore ird., stamped "so 34 1988 3LS (CS43" STONE 1/4 COR 3/2 -DISCLAMEN NOTE

JULY LUGATORIS SHOW

ON THE SAA ON THE SAA ON THE

ONTING THE SAA ON THE

THE STREAM ON THE

ONTING THE SAA ON THE

ON THE

ON THE SAA ON THE

O FOR CONSTRUCTION LATITUDE 35°09°22.7003°14, LONGITUDE 114°09'21.57240"W (NAD '83) HEIGHT 2562.463911ft (NAVD'86) * = SUBDIVISION/JUNIT BOUNDRY
- SANITARY SEWER MANHOLE
= SANITARY SEWER MAIN = LOT NUMBER - EXISTING CONTOUR = 4" PVC SEWER LATERAL = GRADE BREAK SEWER BACK WATER VALVE CENTER UNE RATE & DIRECTION OF SLOPE PROPERTY LINE bold selling subsyrued only lead. If a selling before you are seen. DIG 1-800-782-5348 R REVIEW N 3-10-06 before you Overhead 1-926-753-5591 RHODES HOMES ARIZONA, LLC GOLDEN VALLEY RANCH SCALE (H) 1" = 40" OSSIO
77 OF 79 SHEETS
SCI PROJECT#
18478 5820 S. Ezetarn Avenue, Suita 200 Les Vegas, Neveda 89119 (702) 369-9838 Fer (702) 369-9793 SCALE (V) 1" = 4" 42674 STEVEN A DRAWN BY CD/RM AREA 1 - PHASE A 10 STREET - OFFSITE UTILITIES Stanley Consultants INC. CHECKED BY SH/DB

Case 09-14814-gwz Doc 1232-21 Entered 08/13/10 14:10:34 Page 9 of 10 (2498.1) 8 2493.04 BVCS: 18+08 A S. W. STUB AND CAP STA 18+32.15 858 154 (2496.4) 2492.71 ECTEVEL ALE 48° SWM 4 22 1 1 STREET 1 STREET STA 18437.15 RIM = 2492.7 ± NV IN = 2486.26 INV IN = 2486.08 (2498.6) 2492.95 EVCS: 19+06.41 EVCE: 2493.02 (2496.8) 2493.54 0.533 EXISTING GROUN (2496.5) 2484.14 (2496.2) (2496.1) 2495.33 1 STIREET (PRIVATE)
SCALE: HORIZONTAL 1" = 40'
VERTICAL 1" = 4' (2496.0) 2495.92 PVI STA = 21+50 West of the (2498.0) 2495.55 85.7 PROPOSED FINISH (2488.1) 2497.19 GRAD! G. (2498.0) 2497 82 EXISTING GROUND (2496.4) = 2498.45 = 48" SSMH # 24 STA 23+49.86 RIM =2496.4 ± INV IN =2491.27 INV OUT =2491.07 PROPOSED FINIS 99 (04-40) 66 [4] (2497.0) GRADE (2497.4) 2499.72 (2497.8) 2500.35 PVI STA = 25+00 PVI ELEV = 2500,35 8 PVC W SEWER CONSTRUCTION NOTES

INSTAL 4" NAMED MANAGER

INSTAL 4" NAMED MANAGER

INSTAL 4" NAMED MANAGER

INSTAL 4" NAMED MANAGER

INSTAL 5" NAMED MANA 45° BEND STA, 25+41,8± 9490.74 (2498.3) GRAPHIC SCALE

o

xo

o

to the page of th FEMA FLOOD ZONE

FROM MAP: PAMEL IND, 000058 22325

MAP UPANTE: 07 10, 2000

MAP UPANTE: 07 10, 2000

MAP UPANTE: 07 10, 2000

MICH UPANTE: 07 10, 2 ALL CORSTRUCTIVE SHALL CONFORM WITH THE SOLE REPORT PREPARED BY AMERICAN SOLES REPORT PROBERT OF PROJECT 1084-6200 BEJCHMARK # "SO 34" M.C.S.D.
ELEVATION= 2590.24273 IFT (NAVD '88) MORPH GOT288* EAST — HE WEST UNE OF THE MORTHWEST GLANERS (1987 (-)4) OF SECTION QU. TOWNSHEE SO MORTH, AWARD (-18 WEST) OF ASSESSED OF HEAD AND SECTION AS DETERMINED BY THE AREZUNA COMMUNITY, AREZUNA, AS DETERMINED BY THE AREZUNA COMMUNITY, SECTION (FILE AREZUNA COMMUNITY, SECTION (FILE AREZUNA COMMUNITY, OF AREZUNA COMMUNITY, DESCRIPTION: ALUM DAP 2" DIA., SET IN DOXIC. 85 FT. HORTHEAST OF THE SOUTH 1/4 CORNER OF SEC. 35, T. 21 N., R.18 W. AND THE INTERSECTION OF SHIMMUMP DR. AND HOPE RD., STAMPED "SD 34 1888 RLS 10343." STONE 1/4 COR 3/2 -DISCLAMEN NOTE

JULY LUGATORIS SHOW

ON THE SAA ON THE SAA ON THE

ONTING THE SAA ON THE

THE STREAM ON THE

ONTING THE SAA ON THE

ON THE

ON THE SAA ON THE


O LIMINARY ISSUE FOR REVIEW FOR CONSTRUCTION 3-10-06 LATITUDE 35°09°22.7003°14, LONGITUDE 114°09'21.57240"W (NAD '83) HEIGHT 2562.463911ft (NAVD'86) SANITARY SEMER MANHOLESANITARY SEMER MANHOLE = LOT NUMBER - EXISTING CONTOUR = 4" PVC SEWER LATERAL RIGHT OF WAY
 GRADE BREAK SENER BACK WATER VALVE CENTER UNE RATE & DIRECTION OF SLOPE PROPERTY LINE bold selling subsyrued only lead. If a selling before you are seen. DIG 1-800-782-5348 before you Overhead 1-926-753-5591 RHODES HOMES ARIZONA, LLC GOLDEN VALLEY RANCH SCALE (H) 1" = 40" SHEET


OSS11


B OF 79 SHEETS

SCI PROJECT#

184776 5820 S. Ezetarn Avenue, Suita 200 Les Vegas, Neveda 89119 (702) 369-9838 Fer (702) 369-9793 SCALE (V) 1" = 4" 42874 HAGEL DRAWN BY CD/RM AREA 1 - PHASE A 1 STREET - OFFSITE UTILITIES Stanley Consultants INC. CHECKED BY SH/DB







SEMMER COMMERCION NOTES

I MALE SAMBBORER MANGLE PER

I METALL PER POSERTA

FEMA FLOOD ZONE

FROM MAP: PAMEL IND, 000058 22325

MAP UPANTE: 07 10, 2000

MAP UPANTE: 07 10, 2000

MAP UPANTE: 07 10, 2000

MICH UPANTE: 07 10, 2 ALL CORSTRUCTIVE SHALL CONFORM WITH THE SOLE REPORT PREPARED BY AMERICAN SOLES REPORT PROBERT OF PROJECT 1084-6200

FOR CONSTRUCTION 3-10-06

DISCLAIMEN NOTE

JUILTY LUCATORIS SHOW


ON THE SALE OF THE SALE

ON THE SAL bold with grading and complete before you Overhead 1-926-753-5591

BEJCHMARK # "SO 34" M.C.S.D.
ELEVATION= 2590.24273 IFT (NAVD '88) DESCRIPTION: ALUM CAP 2" DIA., SET IN DOXIC, 85 FT. HORTHEAST DF THE SOUTH 1/4 CORNER OF SCC, 35, T. 21 N., R.10 W. AND THE INTERSECTION OF SHIMMUMF DR. AND HOPE FD., STANFED "SD 34 1988 RLS 10343." M.C.S.D. SI 32 = STONE 1/4 COR 3/2 -LATITUDE 35°08'55.53385"N, LONGITUDE 11410'30.72281"W (NAO '83) HEIGHT 2498.20489Ift (NAVD'88) LATITUDE 35'09'22'70034"N, LONGITUDE 114'09'21:57240"W (NAD '83) HEISHT 2562.46381Ift (NAVO'88)

MORPH OUTSAY EAST—THE WEST LIBE OF THE MORTHWEST QUARTERS (MAY 1/4) OF SECTION QUA COMMISTIES OF MORPH, RAMES IS WEST, OR AS THE MERGINAL MORALE COLUMY, MOZIONA, AS DETERMED BY THE MEZDAM, OCCURATION, SESTEM OF THESE (ASSESSMENT OF MORE) CREATE COLUMN THE METER ASSESSMENT OF MORE OF METER ASSESSMENT OF MORE OF METERS. BASIS OF BEARINGS

SUBDIVISION/JUNIT BOUNDRYSANITARY SEMER MANHOLESANITARY SEMER MANHO = FLITURE GRADE
= RATE & DIRECTION OF SLOPE
- = PROPERTY LINE
- - RIGHT OF WAY
- = GRADE BREAK - SEWER BACK WATER VALVE = LOT NUMBER - EXISTING CONTOUR = CENTER UNE = 4" PVC SEWER LATERAL



RHODES HOMES ARIZONA, LLC GOLDEN VALLEY RANCH SHEET
OSS12
79 OF 79 SHEETS
SCI PROJECT# AREA 1 - PHASE A E STREET - OFFSITE UTILITIES



3-10-06	RECV. MES.	DIREMPTON	CRAWN BY	APPROVIDE	DATE	
ED BY SH/DB						
BY CD/RM						HAGE TO STORY
(V) 1" = 4"						2 2 2 2
(H) 1" = 40'						Region
6.3 alld						